

OKC-DIAS “H.E.S.S.-II” workshop
23-25 October 2013

Discussion III

Discussion III

- How well do we know the EBL and what are the prospects to improve this knowledge in the coming years? What are the implications of these uncertainties for observations of distant gamma-ray sources?

Discussion III

- How well do we know the EBL and what are the prospects to improve this knowledge in the coming years? What are the implications of these uncertainties for observations of distant gamma-ray sources?
- What would be the implications of observing one GRB with an IACT? Since we already know that different population of GRBs exist, how many GRBs measurements in the VHE domain would be necessary to understand the underlying physics and put some guesses on their origin?

Discussion III

- How well do we know the EBL and what are the prospects to improve this knowledge in the coming years? What are the implications of these uncertainties for observations of distant gamma-ray sources?
- What would be the implications of observing one GRB with an IACT? Since we already know that different population of GRBs exist, how many GRBs measurements in the VHE domain would be necessary to understand the underlying physics and put some guesses on their origin?
- What can we learn from being able to access lower energies concerning the sources intrinsically?

Discussion III

- How well do we know the EBL and what are the prospects to improve this knowledge in the coming years? What are the implications of these uncertainties for observations of distant gamma-ray sources?
- What would be the implications of observing one GRB with an IACT? Since we already know that different population of GRBs exist, how many GRBs measurements in the VHE domain would be necessary to understand the underlying physics and put some guesses on their origin?
- What can we learn from being able to access lower energies concerning the sources intrinsically?

